



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing

1 of 4

## Rainbow Latte

Sample ID: 2501EXL0409.1604

Strain: Rainbow Latte

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 01/29/2025

Batch#: 2025Q1RLT


Client

HSP

Lic. #

1835 NEWPORT BLVD

COSTA MESA, CA 92627



## Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      |             | Complete |
| Foreign Matter    | 01/28/2025  | Pass     |
| Heavy Metals      |             | Pass     |
| Microbials        |             | Pass     |
| Mycotoxins        |             | Pass     |
| GCMS Pesticides   |             | Pass     |
| LCMS Pesticides   |             | Pass     |
| Residual Solvents |             | Pass     |

## Cannabinoids

Complete

22.357%

Total THC

0.101%

Total CBD

22.474%

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result  | Result  |
|-----------|-------|-------|---------|---------|
|           | mg/g  | mg/g  | %       | mg/g    |
| CBC       | 0.009 | 0.025 | 0.0167  | 0.167   |
| CBD       | 0.025 | 0.100 | 0.0915  | 0.915   |
| CBDa      | 0.019 | 0.050 | 0.0105  | 0.105   |
| CBDV      | 0.125 | 1.000 | ND      | ND      |
| CBDVa     | 0.257 | 0.780 | ND      | ND      |
| CBG       | 0.019 | 0.050 | ND      | ND      |
| CBGa      | 0.125 | 0.250 | ND      | ND      |
| CBN       | 0.009 | 0.050 | ND      | ND      |
| Δ8-THC    | 0.025 | 0.100 | ND      | ND      |
| Δ9-THC    | 0.019 | 0.100 | 0.2945  | 2.945   |
| THCa      | 0.013 | 0.050 | 25.1564 | 251.564 |
| THCV      | 0.025 | 0.100 | ND      | ND      |
| Total THC |       |       | 22.357  | 223.567 |
| Total CBD |       |       | 0.101   | 1.007   |
| Total CBG |       |       | 0.000   | 0.000   |
| Total     |       |       | 22.474  | 224.741 |

Date Tested:

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.  
Cannabinoids: HPLC, CAN-SOP-001

Water Activity: Water Activity Meter, WA-SOP-001

Moisture Content: Moisture Analyzer, MO-SOP-001

Foreign Matter: Visual Inspection, FM-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer

Bryan Zahakaylo  
Analyst

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing

2 of 4

## Rainbow Latte

Sample ID: 2501EXL0409.1604  
Strain: Rainbow Latte  
Matrix: Plant  
Type: Flower - Cured  
Sample Size: ; Batch:

Produced:  
Collected:  
Received:  
Completed: 01/29/2025  
Batch#: 2025Q1RLT

Client  
HSP  
Lic. #  
1835 NEWPORT BLVD  
COSTA MESA, CA 92627

### GC Pesticides

Pass

| Analyte                              | LOD    | LOQ    | Limit  | Mass | Status |
|--------------------------------------|--------|--------|--------|------|--------|
|                                      | µg/g   | µg/g   | µg/g   | µg/g |        |
| Captan                               | 0.231  | 0.7    | 0.7    | ND   | Pass   |
| Chlordane (trans + cis)              | 0.0116 | 0.035  | 0.0116 | ND   | Pass   |
| Chlorfenapyr                         | 0.0058 | 0.0175 | 0.0058 | ND   | Pass   |
| Cyfluthrin                           | 0.0231 | 0.07   | 2      | ND   | Pass   |
| Cypermethrin                         | 0.0231 | 0.07   | 1      | ND   | Pass   |
| Parathion Methyl                     | 0.0058 | 0.0175 | 0.0058 | ND   | Pass   |
| Pentachloronitrobenzene (Quintozone) | 0.0231 | 0.07   | 0.1    | ND   | Pass   |

### Mycotoxins

Pass

| Analytes         | LOD    | LOQ     | Limit | Conc. | Status |
|------------------|--------|---------|-------|-------|--------|
|                  | PPB    | PPB     | PPB   | PPB   |        |
| Aflatoxin B1     | 1.7000 | 5.0000  |       | ND    | Tested |
| Aflatoxin B2     | 1.7000 | 5.0000  |       | ND    | Tested |
| Aflatoxin G1     | 1.7000 | 5.0000  |       | ND    | Tested |
| Aflatoxin G2     | 1.7000 | 5.0000  |       | ND    | Tested |
| Ochratoxin A     | 6.6000 | 20.0000 | 20    | ND    | Pass   |
| Total Aflatoxins |        |         | 20    | ND    | Pass   |

### Microbials

Pass

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g |                         |        |
| Aspergillus flavus            | 0     | Not Detected            | Pass   |
| Aspergillus fumigatus         | 0     | Not Detected            | Pass   |
| Aspergillus niger             | 0     | Not Detected            | Pass   |
| Aspergillus terreus           | 0     | Not Detected            | Pass   |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |

### Heavy Metals

Pass

| Analyte | LOD     | LOQ   | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
|         | PPM     | PPM   | PPM   | PPM   |        |
| Arsenic | 0.0150  | 0.05  | 0.2   | ND    | Pass   |
| Cadmium | 0.0113  | 0.05  | 0.2   | ND    | Pass   |
| Lead    | 0.00615 | 0.05  | 0.5   | ND    | Pass   |
| Mercury | 0.00126 | 0.005 | 0.1   | ND    | Pass   |

GCMS Date Tested:  
Pesticides: GC-MS/MS. GCMS Method GCP-SOP-001  
LCMS Date Tested:  
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001  
Microbial Date Tested:  
Microbials Footnote: Microbial: PCR-SOP-001  
RFU = Relative Fluorescence Units  
Heavy Metals Date Tested:  
Heavy Metals: Heavy Metals: ICP-MS, HM-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer

Bryan Zahakaylo  
Analyst

01/29/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing

3 of 4

## Rainbow Latte

Sample ID: 2501EXL0409.1604

Strain: Rainbow Latte

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 01/29/2025

Batch#: 2025Q1RLT

Client

HSP

Lic. #

1835 NEWPORT BLVD

COSTA MESA, CA 92627

## LC Pesticides

Pass

| Analyte               | LOD   | LOQ  | Limit | Result | Status | Analyte                                     | LOD    | LOQ  | Limit | Result | Status |
|-----------------------|-------|------|-------|--------|--------|---------------------------------------------|--------|------|-------|--------|--------|
|                       | µg/g  | µg/g | µg/g  | µg/g   |        |                                             | µg/g   | µg/g | µg/g  | µg/g   |        |
| Abamectin             | 0.033 | 0.1  | 0.1   | ND     | Pass   | Imazalil                                    | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Acephate              | 0.033 | 0.1  | 0.1   | ND     | Pass   | Imidacloprid                                | 0.033  | 0.1  | 5     | ND     | Pass   |
| Acequinocyl           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Kresoxim Methyl                             | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Acetamiprid           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Malathion                                   | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Aldicarb              | 0.033 | 0.1  | 0.033 | ND     | Pass   | Metalaxyl                                   | 0.033  | 0.1  | 2     | ND     | Pass   |
| Azoxystrobin          | 0.033 | 0.1  | 0.1   | ND     | Pass   | Methiocarb                                  | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Bifenazate            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Methomyl                                    | 0.033  | 0.1  | 1     | ND     | Pass   |
| Bifenthrin            | 0.033 | 0.1  | 3     | ND     | Pass   | Mevinphos                                   | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Boscalid              | 0.033 | 0.1  | 0.1   | ND     | Pass   | Myclobutanil                                | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Carbaryl              | 0.033 | 0.1  | 0.5   | ND     | Pass   | Naled                                       | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Carbofuran            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Oxamyl                                      | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Chlorantraniliprole   | 0.033 | 0.1  | 10    | ND     | Pass   | Paclobutrazol                               | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Chlorpyrifos          | 0.033 | 0.1  | 0.033 | ND     | Pass   | Permethrin (trans + cis)                    | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Clofentezine          | 0.033 | 0.1  | 0.1   | ND     | Pass   | Phosmet                                     | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Coumaphos             | 0.033 | 0.1  | 0.033 | ND     | Pass   | Piperonyl Butoxide                          | 0.033  | 0.1  | 3     | ND     | Pass   |
| Daminozide            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Prallethrin                                 | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Diazinon              | 0.1   | 0.1  | 0.1   | ND     | Pass   | Propiconazole                               | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Dichlorvos            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Propoxur                                    | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Dimethoate            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04 | 0.5   | ND     | Pass   |
| Dimethomorph (I + II) | 0.033 | 0.1  | 2     | ND     | Pass   | Pyridaben                                   | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Ethoprophos           | 0.033 | 0.1  | 0.033 | ND     | Pass   | Spinetoram (J + L)                          | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Etofenprox            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Spinosyn (A + D)                            | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Etoxazole             | 0.033 | 0.1  | 0.1   | ND     | Pass   | Spiromesifen                                | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Fenhexamid            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Spirotetramat                               | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Fenoxycarb            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Spiroxamine                                 | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Fenpyroximate         | 0.033 | 0.1  | 0.1   | ND     | Pass   | Tebuconazole                                | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Fipronil              | 0.033 | 0.1  | 0.033 | ND     | Pass   | Thiacloprid                                 | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Flonicamid            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Thiamethoxam                                | 0.033  | 0.1  | 5     | ND     | Pass   |
| Fludioxonil           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Trifloxystrobin                             | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Hexythiazox           | 0.033 | 0.1  | 0.1   | ND     | Pass   |                                             |        |      |       |        |        |

LCMS Date Tested:

Pesticides: LC-MS/MS. LCMS Method LCP-SOP-001



*Dr. Jerry White PhD* *Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer

Bryan Zahakaylo  
Analyst

01/29/2025

01/29/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
<http://excelbislabs.com>  
Lic# C8-0000059-LIC

QA Testing

4 of 4

## Rainbow Latte

Sample ID: 2501EXL0409.1604

Strain: Rainbow Latte

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 01/29/2025

Batch#: 2025Q1RLT

Client

HSP

Lic. #

1835 NEWPORT BLVD

COSTA MESA, CA 92627

## Residual Solvents

Pass

| Analyte                 | LOD     | LOQ     | Limit | Conc. | Status |
|-------------------------|---------|---------|-------|-------|--------|
|                         | µg/g    | µg/g    | µg/g  | µg/g  |        |
| Acetone                 | 15.4688 | 46.875  | 5000  | NR    | NT     |
| Acetonitrile            | 15.4688 | 46.875  | 410   | NR    | NT     |
| Benzene                 | 0.1547  | 0.4688  | 1     | NR    | NT     |
| Butane                  | 15.4688 | 46.875  | 5000  | NR    | NT     |
| Chloroform              | 0.1547  | 0.4688  | 1     | NR    | NT     |
| 1, 2-Dichloroethane     | 0.1547  | 0.4688  | 1     | NR    | NT     |
| Ethanol                 | 15.4688 | 46.875  | 5000  | NR    | NT     |
| Ethyl Acetate           | 15.4688 | 46.875  | 5000  | NR    | NT     |
| Ethyl Ether             | 15.4688 | 46.875  | 5000  | NR    | NT     |
| Ethylene Oxide          | 0.1547  | 0.4688  | 1     | NR    | NT     |
| Heptane                 | 15.4688 | 46.875  | 5000  | NR    | NT     |
| Hexane                  | 15.4688 | 46.875  | 290   | NR    | NT     |
| Isopropyl Alcohol       | 15.4688 | 46.875  | 5000  | NR    | NT     |
| Methanol                | 15.4688 | 46.875  | 3000  | NR    | NT     |
| Methylene Chloride      | 0.1547  | 0.4688  | 1     | NR    | NT     |
| Pentane                 | 15.4688 | 46.875  | 5000  | NR    | NT     |
| Propane                 | 15.4688 | 46.875  | 5000  | NR    | NT     |
| Toluene                 | 15.4688 | 46.875  | 890   | NR    | NT     |
| Total Xylenes (o, m, p) | 46.4063 | 140.625 | 2170  | ND    | Pass   |
| Trichloroethylene       | 0.1547  | 0.4688  | 1     | NR    | NT     |

Date Tested:

Residual Solvents: HS-GC-MS RS Method RS-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
01/29/2025

Bryan Zahakaylo  
Analyst  
01/29/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.